SUNLINE SYNERGY



TABLE OF CONTENTS

SUNLINE

TABLE OF CONTENTS	1
SUNLINE SYNERGY OVERVIEW	4
SYNERGY GLASS QUICK GUIDE	5
DOOR HARDWARE OPTIONS	7
MATERIAL & FINISH OPTIONS	8
500 SERIES FRAMELESS	9
700 SERIES FRAMED	16
800 SERIES FRAMED	23



















SUNLINE SYNERGY



SUNLINE SYNERGY

Sunline Synergy is a versatile, modular partition system designed for fast, low-hassle installation with minimal site disruption. Its standardized components support flexible layouts across a range of glass and solid partition options, including sleek butt-joined dry-glazed designs and factory-assembled framed configurations. Available in monolithic or segmented styles, Synergy delivers quick assembly, seamless integration, and a refined aesthetic adaptable to virtually any interior.

STYLE & VALUE

Across the Synergy collection, clean, modern style meets exceptional flexibility and value. Minimal profiles, streamlined hardware, and a versatile range of glass and solid partition configurations create a refined aesthetic that integrates effortlessly with surrounding architecture, furniture, and technology. With adaptable finishes, layouts, and glazing options—including butt-joined, center-single, and flush-double glazing—Synergy can be tailored to diverse design and performance needs while supporting quick installation and easy future reconfiguration.

DESIGN OPTIONS

- Glass and MFC solid-panel options
- Clear anodized aluminum or choice of 5 paint colors
- Clear or frosted glass finishes
- Custom designs and layouts to suit each space

SIZE OPTIONS

- **Heights:** Up to 10'-0" (Series 500 & 700)
- **Heights:** Up to 12'-0" (Series 800)
- **Widths:** Up to 4'-0" (available in 1/8" increments)

SYNERGY GLASS QUICK GUIDE

	500 SERIES FRAMELESS	700 SERIES FRAMED	800 SERIES FRAMED
Max Partition Panel Width	48" (in 1/8" increments)	48" (in 1/8" increments)	48" (in 1/8" increments)
Max Partition Panel Height	10'-0" (in 1/8" increments)	10'-0" (in 1/8" increments)	10'-0" in 1/8" increments. Stack on available for heights up to 12"
Partition Base Section Width	1-1/2" h. X 3-1/4" w.	4-1/4" h. X 2-3/4" w.	2-1/4" h. X 3-1/4" w.
Frame Color Options	Clear anodized aluminum, black, white, grey, blue, red	Black, white, grey, blue, red	Clear anodized aluminum, black, white, grey, blue, red
Panel Surface Finish Options	Clear glass, low-iron clear glass, frosted glass, switchable privacy glass, field applied film	Clear glass, low iron clear glass, frosted glass, switchable privacy glass, field applied film	Clear glass, low iron clear glass, frosted glass, switchable privacy glass, field applied film
STC Acoustical Rating	36 STC with 1/2" tempered glass and 39 STC with 1/2 laminated glass	34 STC with 3/8" tempered glass and 37 STC with 3/8" laminated glass	31 STC with 1/4" tempered glass, 34 STC with 1/4" laminated glass, and 34 STC for double glazed 3/16" tempered glass

SUNLINE SYNERGY


CONTENTS


CONTENTS



DOOR HARDWARE OPTIONS



LEVER LOCKSET



BAR PULL
(AVAILABLE IN LOCKING & NON-LOCKING)



LEVER PASSAGE SET

SFIC & LFIC cylinder & core options available for all door hardware

500 SERIES FRAMELESS

Full height swing & sliding doors in framed glass, framless glass & solid core wood. Avalable in single or double door configuration&

700 SERIES FRAMED & **800** SERIES FRAMED


Full height & standard height with transom above for swing & sliding doors in framed glass, frameless glass, and solid-core wood. Available in single or double door configuration



CONCEALED DOOR CLOSER



CONCEALED DOOR CLOSER




SOFT SHUTTING HINGE

BOTTOM DROP SEAL

SUNLINE SYNERGY



TEMPERED & LAMINATED GLASS OPTIONS



1/4", 3/8", 1/2" | CLEAR | FROSTED | CENTER-PAINTED & BACK PAINTED | SWITCHABLE PRIVACY


TRIM FINISH OPTIONS




BLACK | CLEAR ANODIZED* | BRICK RED | INK BLUE | FRENCH GREY | INK STONE BLACK | GLOSSY WHITE

*Not available for the 700 Series


MFC LAMINATE OPTIONS



GREY | BLACK | WHITE | TEAK | WALNUT



MAPLE | FIR | RED OAK | WHITE OAK | ENGINEERED OAK



BLACK OAK | OAK | RED WALNUT | BULLER THORN PLUM | NORTH AMERICAN WALNUT



500 SERIES FRAMELESS



Sunline Synergy 500 Series system is a ½" thick, butt-joined, dry-glazed, glass system with complementing ½" solid partition insert elements that can also be glazed for a synergistic and luminous look.

STYLE & VALUE

Style at an extremely affordable price that supports flexibility... that is Series 500! The system offers the perfect blend of minimalistic profile design with adjustability to accommodate varying applications, building conditions, and future moves/adds/changes. Butt-joined, dry-glazed glass lites, doors, and other materials are designed to blend effortlessly with the building's architecture, furniture, and technology. A simple, minimal kit of parts makes for easy initial project planning and reconfigurations.

DESIGN OPTIONS

- Walls are available in clear or frosted glass, wood, fabric, back-painted, and laminate.
- Frame options include anodized aluminum and 5 paint color options
- Door options include sliding and swinging styles with frameless glass, framed glass, and MFC finished solid core wood doors. Available in single or double doors.
- Clear anodized aluminum & black paint finished frames & channels
- Tempered and high-acoustic laminated glass available in clear, frosted, or field-applied film versions
- Solid partition insert finishes of HPL, wood, fabric, markerboard finish, and center-painted magnetic glass



500 SERIES FRAMELESS

INSTALLATION OPTIONS



WOOD W/ WOOD



GLASS W/ GLASS



GLASS W/ WOOD



WALL CONNECTION



GLASS CONNECTION (3-WAY)







500 *SERIES FRAMELESS*

GLASS WALL PARTITION SPECIFICATIONS

Each Partition is available up to 10ft tall to 4ft wide




WALL START

Dimensions (in):
1.65" x 3.37"




BUTT JOINED INLINE CONNECTION



BUTT JOINED CORNER CONNECTION

Dimensions (in):
0.14" x 0.47"



BUTT JOINED 3-WAY CONNECTION



CEILING CHANNEL

Dimensions (in):
2.36" x 3.35"



FLOOR CHANNEL

Dimensions (in):
1.89" x 3.35"

SOLID WALL PARTITION INSERT SPECIFICATIONS



WALL STARTER

Dimensions (in):
1.65" x 3.37"




SOLID-SOLID STRAIGHT CONNECTION

Dimensions (in):
0.12" x 0.47"




SOLID-GLASS CONNECTION


Dimensions (in):
0.12" x 0.47"



CORNER CONNECTION

Dimensions (in):
3.35" x 3.35"







3-WAY CONNECTION

Dimensions (in):
3.35" x 3.35"



CEILING CONNECTION

Dimensions (in):
2.05" x 3.35"




BOTTOM CONNECTION

Dimensions (in):
1.57" x 3.35"



DOOR SPECIFICATIONS


All doors can be single or double



MFC DOOR WITH SIDE PANEL



GLASS DOOR WITH SIDE PANEL



FRAMED OPENING WITH SIDE PANEL



SLIDING DOOR



MFC DOOR



GLASS DOOR



FRAMED OPENING

MFC DOOR	Full-height HPL finished, solid-core wood, swing doors up to 10'-0" h. and available in widths of 35.43" & 39.37"
GLASS DOOR	Full-height frameless glass swing AND sliding doors up to 10'-0" h. and available in widths of 35.43" & 39.37"



700 SERIES FRAMED



The 700 Series is a factory-assembled wall system featuring 3/8" framed glass and solid panels for fast, low-hassle installation. Integrated furniture supports and cable management options deliver added flexibility, while six available finishes complement a range of modern architectural styles.

STYLE & VALUE

The Sunline Synergy Series 700 combines clean, modern style with smart functionality. Its modular design allows for flexible layouts and quick installation with minimal hardware, reducing build time and site disruption. Sleek and adaptable, it's a streamlined solution for any professional space.

DESIGN OPTIONS

The Sunline Synergy Series 700 is built on a design philosophy of simplicity, flexibility, and efficiency. Its modular components make assembly and reconfiguration fast and intuitive, while clean lines and seamless connections create a modern, minimalist aesthetic. The adaptable structure accommodates a wide range of layouts and design styles, with panel options available in glass, MFC laminate, and fabric. This thoughtful approach ensures quick installation and effortless integration into any workspace—balancing form, function, and refined aesthetics.



700 SERIES FRAMED








700 SERIES FRAMED


FRAME OPTIONS



Glass Frame Module




Wooden Frame Module



Surface Mounted Power* Module


*Surface mounted power can be placed at any height A.F.F. in approximately one inch increments

CONNECTION OPTIONS




Product Plane Connection Combination


CONNECTION EXAMPLES



All Glass




Glass + Wood




Glass + Wood




All Wood




All Glass + Door




All Glass + Door




All Glass + Door + Door Panel



All Glass + Door + Door Panel




Glass + Doorway




All Glass + 2 Door + Door Panel

HANG-ON ACCESSORY DIMENSIONS


Optional slotting in wall partition required




Single Drawer Cabinet
Dimensions (in):
Width: 35/39/43
Depth: 17
Height: 15




Double Drawer Cabinet
Dimensions (in):
Width: 35/39/43
Depth: 17
Height: 15




Hanging Board
Dimensions (in):
Width: 35/39/43
Depth: 2
Height: 5




Whiteboard
Dimensions (in):
Width: 35/39/43
Depth: 2
Height: 39



Shelf
Dimensions (in):
Width: 35/39/43
Depth: 12
Height: 9



Small Shelf
Dimensions (in):
Width: 35/39/43
Depth: 5
Height: 3.5



Negotiation Table
Dimensions (in):
Width: 55/63/71
Depth: 35/39/43
Height: 41/43



800 SERIES FRAMED



Sunline Synergy 800 Series is a factory-assembled, framed 1/4" thick glass and solid partition system. Available in a multitude of both monolithic and segmented configurations, it ensures maximum flexibility and synergistic integration with any building's aesthetics.

STYLE / VALUE

Style, affordability, and ultimate flexibility define the Series 800. Available in monolithic or segmented configurations, it offers center-single glazed, flush-double glazed, and solid partitions for enhanced acoustics or a sleek, coplanar aesthetic. Designed for quick moves, additions, and changes, its versatile finish and design options integrate seamlessly with surrounding architecture and furniture.

DESIGN OPTIONS

- Premium Finishes: Clear anodized aluminum or 5 painted finish options
- High-Performance Glass: Tempered or acoustic laminated glass in clear, frosted, or field-applied film finishes.
- Flexible Glazing: Center-single or flush-double glazing for enhanced acoustics and a clean, coplanar appearance.
- Versatile Door Options: Standard or full-height sliding and swinging doors in frameless glass, solid-core HPL, or ADA-compliant wood-framed glass. Space-saving frameless glass pocket doors are also available.
- Functional Surfaces: Tackable fabric panels and back-painted glass markerboards.

QUICK SHIP

The Synergy 800 Framed Series is available through our Quick Ship Program. Choose from a selection of preconfigured color options and get your office set up sooner, with the style and functionality you need. Contact us or visit our website to learn more about the Synergy 800 Framed Quick Ship Program.



800 SERIES FRAMED



INSTALLATION OPTIONS




SINGLE PANE GLASS TILE



MFC /LAMINATE TILE



DOUBLE PANE GLASS TILE




FABRIC TILE



STANDARD AND LOW PROFILE BASE OPTIONS



STANDARD



LOW PROFILE



MATCHING OR CONTRASTING REVEAL OPTIONS



EASY-OPEN/CLOSE DOOR HINGES



SEAMLESS DOOR TO FRAME CONNECTION




CORNIC HEIGHT APPLICATION (FLOATING CEILING)




FLOOR-TO-CEILING APPLICATION


ELECTRICAL OPTIONS



OPEN J-BOX WITH FLEX CONDUIT
TO 6 FT ABOVE CEILING HEIGHT FOR
LIGHT SWITCH*



OPEN J-BOX WITH FLEX CONDUIT
TO 6 FT ABOVE CEILING HEIGHT FOR
ELECTRICAL OR DATA/COM OUTLET*



OPEN J-BOX WITH FLEX CONDUIT
TO 6 FT ABOVE CEILING HEIGHT FOR
ELECTRICAL OR DATA/COM OUTLET TO
SUPPORT TECHNOLOGY*

**WIRING & DEVICES TO BE PROVIDED BY ELECTRICIAN*


-Schedule Zoom meeting
for project x r r
-Set up smartshoot
-create PPT for meeting
-Start project brief for Yoda





WALL CONNECTION SPECIFICATIONS




FLOOR CHANNEL



CEILING CHANNEL

Dimensions (in):
3.50" x 2.20"




WALL STARTER & FINISHED END

Dimensions (in):
3.50" x 2.20"




STRAIGHT CONNECTION

Dimensions (in):
2.13" x 0.31"



2-WAYS CONNECTION

Dimensions (in):
3.50" x 3.50"



3-WAYS CONNECTION


Dimensions (in):
3.66" x 3.50"



4-WAYS CONNECTION

Dimensions (in):
3.66" x 3.66"

FRAME SEGMENT STYLE OPTIONS





DOOR & DIVIDER SPECIFICATIONS

All doors can be single or double



FULL HEIGHT SLIDING DOOR



SLIDING DOOR WITH TRANSOM

Dimensions (in):
82.68"



FULL HEIGHT GLASS DOOR



FULL HEIGHT FRAMED GLASS DOOR



FULL HEIGHT MFC DOOR

Dimensions (in):
35.43-41.34"



GLASS DOOR WITH TRANSOM




FRAMED GLASS DOOR WITH TRANSOM




MFC DOOR WITH TRANSOM

Dimensions (in):
35.43-41.34"



INTRIGL BLINDS

Dimensions (in):
47.24"



OPEN BOOKCASE

Dimensions (in):
35.43"


SUNLINE